



EMBRAER PRAETOR 600 AWARDED TYPE CERTIFICATION

News / Business aviation, Manufacturer





Brazil's Civil Aviation Authority (ANAC—Agência Nacional de Aviação Civil) granted Type Certificate to new Embraer Praetor 600 super-midsize business jet! So get ready - The Most Disruptive and Technologically Advanced Aircraft to Enter the Super-Midsize Category!

It was announced back in October 2018 at at NBAA-BACE and now Praetor 600 became the only super-midsize business jet to be certified since 2014.

The Praetor 600 is the best performing super-midsize jet ever developed, surpassing all its main design goals and becoming capable of flying beyond 4,000 nautical miles in long-range cruise speed or beyond 3,700 nautical miles at Mach .80 from runways shorter than 4,500ft, complemented by an outstanding payload capability

“Our engineering and program teams have outperformed again by passionately designing, developing and certifying the class-leading Praetor 600 business jet, exceeding specifications and expectations, and ahead of schedule,” said Paulo César Souza e Silva, Embraer CEO. “This advanced aircraft reflects not only our journey of innovation, it is also a preview of the future of this great company.”

“The most disruptive and technologically advanced super-midsize business jet has arrived. The Praetor 600 will fascinate our customers with the highest performance, technology and comfort in its class and raise the customer experience to an unprecedented level,” said Michael Amalfitano, President & CEO, Embraer Executive Jets. “I want to thank and congratulate the Embraer family for bringing to market an aircraft that will create true value for customers and shareholders alike.”



The Praetor 600 is now the farthest-flying super-midsize jet, able to make nonstop flights between London and New York, São Paulo and Miami, Dubai and London. With four passengers and NBAA IFR Reserves, the Praetor 600 has an intercontinental range of 4,018 nautical miles (7,441 km). Take Off Field Length for such a mission is only 4,436 ft (1,352 m). At M0.80, range is 3,719 nm (6,887 km) with four passengers and NBAA IFR Reserves.

The Praetor 600 is the first super-midsize jet with full fly-by-wire technology, which powers the Active Turbulence Reduction that not only makes every flight the smoothest but also the most efficient possible.

The Embraer DNA Design interior eloquently explores every dimension of the only super-midsize to feature a six-foot-tall, flat-floor cabin, stone flooring and a vacuum service lavatory, all in the same certified aircraft. The class-exclusive Active Turbulence Reduction and 5,800-foot cabin altitude, complemented by a whisper silent cabin, have set the highest standards in customer experience in the super-midsize category. In addition to the full-service galley and a wardrobe, eight fully reclining club seats may be berthed into four beds, and the baggage space is the largest in the class.



Advanced technology throughout the cabin is also a trait of the Embraer DNA Design, beginning with the industry-exclusive Upper Tech Panel that displays flight information and offers cabin management features also available on personal devices through Honeywell Ovation Select. High-capacity, ultra high-speed connectivity for all aboard is available through Viasat’s Ka-band, with speeds of up to 16Mbps and unlimited streaming, another industry-exclusive in super-midsize jets.

The Praetor 600 features Collins Aerospace’s newest edition of the acclaimed Pro Line Fusion flight deck. Capabilities such as the industry-first vertical weather display, air-traffic-control-like situational awareness with ADSB-IN, predictive wind shear radar capability, as well as Embraer Enhanced Vision System (E2VS) with a Head-up Display (HUD) and an Enhanced Video System (EVS), an Inertial Reference System (IRS) and a Synthetic Vision Guidance System (SVGS) are some of the highlights on the Praetor 600 flight deck.

SPECIFICATIONS	CERTIFIED AIRCRAFT	DESIGN GOALS
Range 4 pax @ LRC ⁽¹⁾	4,018 nm / 7,441 km	3,900 nm / 7,223 km
Range 4 pax @ M0.80 ⁽²⁾	3,719 nm / 6,888 km	3,605 nm / 6,676 km
Takeoff distance @ 4 pax / full fuel ⁽³⁾	4,436 ft / 1,352 m	4,458 ft / 1,359 M
Takeoff distance @ MTOW ⁽⁴⁾	4,717 ft / 1,438 m	4,800 ft / 1,463 m
Unfactored landing distance ⁽⁵⁾	2,165 ft / 660 m	2,270 ft / 692 m
Maximum operating altitude	45,000 ft / 13,716 m	45,000 ft / 13,716 m
Maximum payload ⁽⁶⁾	4,001 lb / 1,815 kg	4,001 lb / 1,815 kg

1) NBAA IFR reserves; 200 nm alternate; 4 pax @ 200 lbs each; baseline aircraft; LRC (Long Range Cruise)

(2) NBAA IFR reserves; 200 nm alternate; 4 pax @ 200 lbs each; baseline aircraft; M0.80

(3) SL; ISA ; full fuel; 4 pax @ 200 lbs each; NBAA IFR reserves; 200 nm alternate; baseline aircraft;

(4) SL; ISA; MTOW

(5) SL; ISA ; 4 pax @ 200 lbs each; NBAA IFR reserves; 200 nm alternate; baseline aircraft

(6) Baseline aircraft



19 APRIL 2019

ARTICLE LINK:

<https://50skyshades.com/news/manufacturer/embraer-praetor-600-awarded-type-certification>